




TYP. DETAIL OF STAGGERED RUNGS



PLAN AT MANHOLE TOP LVL



SECTION S1-S1  
(\*H - SEGMENT HEIGHT)




TYP. RUNGS ELEVATION

NOTES:

1. STARTER PANEL HEIGHT (UNIT-5) VARIES WITH RESPECT TO PIPE DIA.
2. ALL DIMENSION ARE IN mm AND ALL LEVELS ARE IN METER.
3. CLEAR COVER TO MAIN REINFORCEMENT SHALL BE :  
a) SOIL FACE = 75mm  
b) SEWAGE FACE = 45mm  
c) BASE SLAB = 50mm
4. S.F.R.C. PRECAST COVER AND FRAME SHALL CONFORM TO IS:12592-2002.
5. LIFTING ARRANGEMENT AND LIFTING METHODOLOGY SHALL BE DECIDED AS PER SITE FEASIBILITY.
6. ALL THE EXPOSED PARTS OF MANHOLE FRAME AND COVER SHALL BE GALVANIZED AS PER IS :12592.

FOR TENDER

CLIENT			
 <b>MAHARASHTRA INDUSTRIAL TOWNSHIP LTD (MITL)</b>			
PROJECT			
DESIGN, CONSTRUCTION, TESTING, COMMISSIONING AND OPERATION & MAINTENANCE OF INFRASTRUCTURE WORKS AT DIGHI PORT INDUSTRIAL AREA (DPIA)- PHASE 1 UNDER DELHI MUMBAI INDUSTRIAL CORRIDOR (DMIC) ON EPC BASIS			
TITLE			
SEWER NETWORK TYP. R.C.C. PRECAST MANHOLE DETAILS 1200 MM DIA			
PROJECT CODE: DI1628	STATUS: ISSUED FOR TENDER	DATE: 18.12.2024	
SHEET NO: 01	SCALE: NTS	DWG SIZE: A3	REV NO: R0
DRAWING NO:			
MITL-DPIA-PKG1-SEW-08			